

# COMPLIANCE REPORT SODIUM CHLORIDE

(Himalayasalt)

DATED: September 26, 2023 REFERENCE: Naturkosmos AB

WE GUARANTEE THAT THE SALT SUPPLIED STRICTLY PERTAINS TO THE TECHNICAL SPECIFICATIONS AVAILABLE IN THE TECHNICAL DATA SHEET SEPARATELY ATTACHED.

















## R.S.P COMPLETE ANALYSIS

DATED: September 26, 2023, REFERENCE: Naturkosmos AB

SUBJECT: Analysis of Rock Salt to be "Rock Salt Grain Normal Pink"

### **METHODLOGY APPLIED:**

ASTM Standard Test Method for Chemical Analysis of Sodium Chloride Designation E-534-98 published February 1999.

S.NO	PARAMETRES	% RESULT
01	Purity(NaCl)	98.68
02	Calcium (Ca)	0.086
03	Magnesium (Mg)	0.049
04	Sulphate (SO <sub>4</sub> )	0.78
05	Alkalinity as (Na <sub>2</sub> CO <sub>3</sub> )	0.16
06	Water Insoluble	0.83
07	Moisture	0.10
08	Mesh Size	2.0-4.0 mm
	Heavy Metals:	
09	Arsenic	<0.5 mg/kg
10	Lead	< 1.0 mg/kg
11	Copper	<1.0 mg/kg
12	Cadmium	<0.5 mg/kg
13	Mercury	< 0.1 mg/kg

#### Remarks:-

It is certified that above salt sample fulfills the requirement of PS-14-1981 & according to this standard it is suitable for Human Consumption.

















## R.S.P COMPLETE ANALYSIS

DATED: September 26, 2023, REFERANCE: Naturkosmos AB

SUBJECT: Analysis of Rock Salt to be "Pink Rock Salt Powdered"

#### **METHODLOGY APPLIED:**

ASTM Standard Test Method for Chemical Analysis of Sodium Chloride Designation E-534-98 published February 1999.

S.No	Parameters	% Results
01	Purity(NaCl)	98.51
02	Calcium (Ca)	0.103
03	Magnesium (Mg)	0.045
04	Sulphate (SO <sub>4</sub> )	0.89
05	Alkalinity as (Na <sub>2</sub> CO <sub>3</sub> )	0.18
06	Water Insoluble	0.67
07	Moisture	0.10
08	Mesh Size	0.3-0.5 mm
	Heavy Metals:	
09	Arsenic	<0.5 mg/kg
10	Lead	< 1.0 mg/kg
11	Copper	<1.0 mg/kg
12	Cadmium	<0.5 mg/kg
13	Mercury	< 0.1 mg/kg

#### Remarks:-

It is certified that above salt sample fulfills the requirement of PS-14-1981 & according to this standard it is suitable for Human Consumption.

















# ANALYSIS METHODS SODIUM CHLORIDE

Sodium Chloride By Silver Nitrate Titration

Moisture By Drying At 140 °C For 2 Hours

Calcium & Magnesium By EDTA Titration

Sulphate By Barium Chloride & HCl (Gravimetric)

Insoluble By (Gravimetric)

















# MATERIAL SAFETY DATA SHEET **SODIUM CHLORIDE**

Himalayasalt PRODUCT NAME

FORMULA WT 58.45

CAS NO. 7647-14-5

NIOH/RETECS NO. VZ4725000

PRODUCT CODES 3628, 3624, 3625, 4924

1413°C (2575 °F) **BOILING POINT** 

**MELTING POINT** 801°C (1474 °F)

SPECIFIC GRAVITY 2.165

APPEARANCE & ODOR ODORLESS CRYSTALLINE SOLID

**TOXICITY** LD50 (ORAL-RAT) MG/KG 3000

IN ACCORDANCE WITH LOCAL EPA/NEQS DISPOSAL PROCEDURE

RESPIRATORY ROTECTION

PROPERVENTIL ATION

**EYE/SKIN PROTECTION** 

NON REQUIRED WITH

SAFETY GLASSES WITH SIDESHEILDS, PROPER

RUBBER GLOVES ARE RECOMMENDED.













